



HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 1/13/2023 Revision date: 1/13/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : HYSOL GR 640HV

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Molding Compound

1.2.2. Uses advised against

Restrictions on use : No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Hysol Huawei Electronic Co., Ltd.
No.8 Zhenhua Road, High-tech Industrial Development Zone,
Lianyungang, Jiangsu
T +86 518-85155187 - F +86 518 85153825

Only Representative

CAPLINQ Europe BV
Industrieweg 15E
1566JN Assendelft
Netherlands
+31 (20) 893 2224

1.4. Emergency telephone number

Emergency number : +86 518-81089316

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361f
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS08

Signal word (CLP) :

Warning

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H361f - Suspected of damaging fertility. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P201 - Obtain special instructions before use. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

Other hazards which do not result in classification : No information available.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Silica, amorphous	CAS-No.: 7631-86-9 EC-No.: 231-545-4	$\geq 30 - \leq 60$	Not classified
Silica, vitreous	CAS-No.: 60676-86-0 EC-No.: 262-373-8;424-440-1	$\geq 20 - \leq 30$	Not classified
Formaldehyde, polymer with (chloromethyl)oxirane and 2-methylphenol	CAS-No.: 29690-82-2 EC-No.: 608-398-3	$\geq 10 - \leq 20$	Not classified
Phenol-formaldehyde polymer	CAS-No.: 9003-35-4 EC-No.: 500-005-2	$\geq 5 - \leq 10$	Eye Irrit. 2, H319 Skin Sens. 1, H317
1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1)	CAS-No.: 37640-57-6 EC-No.: 253-575-7	$\geq 1 - \leq 5$	Repr. 2, H361f STOT RE 2, H373
Zinc borate hydrate	CAS-No.: 138265-88-0 EC-No.: 235-804-2;604-070-9	$\geq 1 - \leq 3$	Eye Irrit. 2, H319 Repr. 2, H361 Aquatic Acute 1, H400
Zinc oxide (ZnO)	CAS-No.: 1314-13-2 EC-No.: 215-222-5 EC Index-No.: 030-013-00-7	$\geq 0.25 - \leq 2.5$	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Mercaptopropyltrimethoxysilane	CAS-No.: 4420-74-0 EC-No.: 224-588-5	$\geq 0.1 - \leq 1$	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Suspected of damaging fertility or the unborn child. May cause an allergic skin reaction. Causes serious eye irritation.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: High pressure waterjet

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Hydrocarbons. carbon oxides. nitrogen oxides. Rapid polymerisation may generate excessive heat and pressure.
--	--

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Take action to prevent static discharges. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in original containers closed.
Storage conditions	: Protect from heat and direct sunlight. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Alcohols, amines, oxidants, acids, lyes

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Silica, amorphous (7631-86-9)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	4 mg/m ³ (also Silica manufactured through wet process-inhalable fraction)
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	0.1 mg/m ³ (respirable fraction) 4 mg/m ³
Estonia - Occupational Exposure Limits	
OEL TWA	2 mg/m ³ (respirable dust (Dusts))
OEL chemical category	Carcinogenic substance respirable dust
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	5 mg/m ³ (Silicon dioxide, amorphous)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	4 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Ireland - Occupational Exposure Limits	
OEL TWA [1]	6 mg/m ³ (total inhalable dust) 2.4 mg/m ³ (respirable dust)
OEL STEL	18 mg/m ³ (calculated-respirable dust) 7.2 mg/m ³ (calculated-respirable dust)
Latvia - Occupational Exposure Limits	
OEL TWA	1 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	4 mg/m ³ (inhalable fraction, gel)

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Silica, amorphous (7631-86-9)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	6 mg/m ³ (inhalable dust) 2.4 mg/m ³ (respirable dust)
WEL STEL (OEL STEL)	18 mg/m ³ (calculated-inhalable dust) 7.2 mg/m ³ (calculated-respirable dust)
Norway - Occupational Exposure Limits	
Grønseverdi (OEL TWA) [1]	1.5 mg/m ³ (respirable dust)
Korttidsverdi (OEL STEL)	3 mg/m ³ (value calculated-respirable dust)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	4 mg/m ³ (including Silica, amorphous-inhalable dust)
Silica, vitreous (60676-86-0)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	0.3 mg/m ³ (respirable fraction (Silica, amorphous))
Belgium - Occupational Exposure Limits	
OEL TWA	0.1 mg/m ³ (alveolar dust)
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	0.08 mg/m ³ (respirable dust)
Denmark - Occupational Exposure Limits	
OEL TWA [1]	0.1 mg/m ³ (respirable)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	0.3 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction)
Ireland - Occupational Exposure Limits	
OEL TWA [1]	0.08 mg/m ³ (respirable dust)
OEL STEL	0.24 mg/m ³ (calculated-total inhalable dust)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	2 mg/m ³ (inhalable fraction) 1 mg/m ³ (respirable fraction)
Slovenia - Occupational Exposure Limits	
OEL TWA	0.3 mg/m ³ (respirable fraction)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	0.08 mg/m ³ (respirable dust)
WEL STEL (OEL STEL)	0.24 mg/m ³ (calculated-respirable dust)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	0.3 mg/m ³ (including Silica, amorphous-respirable dust)
Phenol-formaldehyde polymer (9003-35-4)	
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m ³ (dust)

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenol-formaldehyde polymer (9003-35-4)	
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	1.25 mg/m ³ (respirable fraction (plastic dust)) 10 mg/m ³ (inhalable fraction (plastic dust))
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	3 mg/m ³ (thermoset dust)
1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1) (37640-57-6)	
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	0.5 mg/m ³
OEL chemical category	Skin notation
Zinc oxide (ZnO) (1314-13-2)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	5 mg/m ³ (respirable fraction, smoke)
Belgium - Occupational Exposure Limits	
OEL TWA	10 mg/m ³ (dust) 5 mg/m ³ (fume) 5 mg/m ³ (aerosol and vapor)
OEL STEL	10 mg/m ³ (fume) 10 mg/m ³ (aerosol and vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
OEL STEL	10 mg/m ³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	2 mg/m ³ (respirable dust)
KGVI (OEL STEL)	10 mg/m ³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	2 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA [1]	4 mg/m ³ 4 mg/m ³ (fume)
Estonia - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	2 mg/m ³ (fume)
HTP (OEL STEL)	10 mg/m ³ (fume)
France - Occupational Exposure Limits	
VME (OEL TWA)	5 mg/m ³ (fume) 10 mg/m ³ (dust)
Greece - Occupational Exposure Limits	
OEL TWA	5 mg/m ³ (fume)
OEL STEL	10 mg/m ³ (fume)

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Zinc oxide (ZnO) (1314-13-2)	
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m ³ (fume) 5 mg/m ³ (powder)
Ireland - Occupational Exposure Limits	
OEL TWA [1]	2 mg/m ³ (fume; respirable fraction)
OEL STEL	10 mg/m ³ (fume; respirable fraction)
Latvia - Occupational Exposure Limits	
OEL TWA	0.5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	5 mg/m ³ (inhalable fraction)
NDSCh (OEL STEL)	10 mg/m ³ (inhalable fraction)
Portugal - Occupational Exposure Limits	
OEL TWA	2 mg/m ³ (respirable fraction)
OEL STEL	10 mg/m ³ (respirable fraction)
Romania - Occupational Exposure Limits	
OEL TWA	5 mg/m ³ (fume)
OEL STEL	10 mg/m ³ (fume)
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	1 mg/m ³ (fume)
NPHV (OEL C)	1 mg/m ³
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	2 mg/m ³ (respirable fraction)
VLA-EC (OEL STEL)	10 mg/m ³
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	5 mg/m ³ (total dust)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	5 mg/m ³
Korttidsverdi (OEL STEL)	10 mg/m ³ (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	3 mg/m ³ (respirable dust, smoke)
KZGW (OEL STEL)	3 mg/m ³ (respirable dust, smoke)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	2 mg/m ³ (respirable particulate matter)
ACGIH OEL STEL	10 mg/m ³ (respirable particulate matter)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountain with clean water. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Protective goggles or face shield. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Black
Appearance	: Black solid
Odour	: mild.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable.
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: Not applicable.
Lower explosion limit	: Not applicable.
Upper explosion limit	: Not applicable.
Flash point	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable.
Solubility	: Not available

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable.
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with alcohols and amines. Reacts with oxidants, acids and lyes

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with alcohols and amines. Reacts with oxidants, acids and lyes

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Alcohols, amines, oxidants, acids, lyes

10.6. Hazardous decomposition products

Hydrocarbons. carbon oxides. nitrogen oxides. Rapid polymerisation may generate excessive heat and pressure.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Silica, amorphous (7631-86-9)

LD50 oral rat	7900 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 58.8 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	5.01 mg/l Source: ECHA

Phenol-formaldehyde polymer (9003-35-4)

LD50 oral rat	> 5 g/kg
LD50 dermal rat	> 2000 mg/kg

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1) (37640-57-6)

LD50 oral rat 2500 mg/kg

LC50 Inhalation - Rat > 5.1 mg/l/4h

Zinc oxide (ZnO) (1314-13-2)

LD50 oral rat > 5000 mg/kg

LD50 dermal rat > 2000 mg/kg Source: ECHA

LC50 Inhalation - Rat > 5700 mg/m³ Source: ECHA

LC50 Inhalation - Rat (Dust/Mist) > 5.7 mg/l/4h

3-Mercaptopropyltrimethoxysilane (4420-74-0)

LD50 oral rat 730 µl/kg

LD50 dermal rabbit 2494 mg/kg

Skin corrosion/irritation : Not classified

Silica, amorphous (7631-86-9)

pH 3.5 – 4.4

Zinc oxide (ZnO) (1314-13-2)

pH 6.95 (American Process)

Serious eye damage/irritation : Causes serious eye irritation.

Silica, amorphous (7631-86-9)

pH 3.5 – 4.4

Zinc oxide (ZnO) (1314-13-2)

pH 6.95 (American Process)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Silica, amorphous (7631-86-9)

IARC group 3 - Not classifiable

Silica, vitreous (60676-86-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Suspected of damaging fertility.

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1) (37640-57-6)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Silica, amorphous (7631-86-9)

LC50 - Fish [1]	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 - Crustacea [1]	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
EC50 72h - Algae [1]	440 mg/l (Species: Pseudokirchneriella subcapitata)

1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1) (37640-57-6)

LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
-----------------	--

Zinc oxide (ZnO) (1314-13-2)

LC50 - Fish [1]	1.55 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
-----------------	---

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Silica, amorphous (7631-86-9)

BCF - Fish [1]	(no bioaccumulation expected)
----------------	-------------------------------

Phenol-formaldehyde polymer (9003-35-4)

Partition coefficient n-octanol/water (Log Pow)	3.564 (at 25 °C (at pH 4.6))
---	------------------------------

Zinc oxide (ZnO) (1314-13-2)

Partition coefficient n-octanol/water (Log Pow)	1.53
---	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

HYSOL GR 640HV

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Not applicable.

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Version	: 1.0
Issue date	: 1/13/2023
Revision date	: 1/13/2023
Data sources	: ECHA reference. Loli.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: No information available.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

HYSOL GR 640HV

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.