



Hysol Huawei Electronics Co.,Ltd.

## Safety Data Sheet according to GB/T 16483-2008

Page 1 of 5 .

HYSOL MG 15F-MOD2 C

SDS No. : 2288028

V001.2

Revision: 30<sup>th</sup>,Mar,2022

### 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** HYSOL MG 15F-MOD2 C  
**Intended use:** Epoxy Molding Compound

**Manufacturer:**

Hysol Huawei Electronics Co.,Ltd  
No.8 Zhenhua Road, High-tech Industrial Development Zone,  
Lianyungang, Jiangsu 222006  
Phone: +86-518 85155187  
Fax-no.:+86 518 85153825  
E-mail: SDS@hysolhuawei.com

**Emergency information:** Emergency telephone: +86 518-81089316

### 2. Hazards identification

Classification of the substance or mixture according to GB 13690-2009 (General rule for classification and hazard communication of chemicals):

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Route of Exposure</u>	<u>Target Organ(s)</u>
Serious eye irritation	Category 2A	Eye contact	
Specific target organ toxicity - single exposure	Category 3		Lungs

Label elements according to GB 15258-2009 (General rules for preparation of precautionary label for chemicals):

**Pictogram:**



**Signal word:** Warning

**Hazard statement:** H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

<b>Precautionary statement (Prevention):</b>	P260 Do not breathe dust. P281 Use personal protective equipment as required. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.
<b>Precautionary statement (Response):</b>	P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P370+P378 In case of fire: Use CO <sub>2</sub> , dry chemical, or foam for extinction.
<b>Precautionary statement (Storage):</b>	P403+P235 Store in a well-ventilated place. Keep cool. P410 Protect from sunlight.
<b>Precautionary statement (Disposal):</b>	P501 Dispose of contents/container according to SDS section 13.

### 3. Composition / information on ingredients

**General description:** Mixture

#### Declaration of the ingredients according to GB 13690-2009:

Hazard component CAS-No.	Concentration range	GHS Classification
Silica, vitreous 60676-86-0	70-90%	
Formaldehyde, polymer with (chloromethyl)oxirane and 2-methylphenol 29690-82-2	1-5%	
Benzophenone-3,3':4,4'-tetracarboxylic dianhydride 2421-28-5	1-10%	Serious eye irritation 2 H319 Specific target organ toxicity - single exposure 3 H335
Carbon black 1333-86-4	0.1-1%	

Only hazardous ingredients for which a classification according to GB 13690-2009 is already available are displayed in this table. For full text of the Hazard statements see section 16 "Other information".

### 4. First aid measures

<b>Skin contact:</b>	Rinse with running water and soap. Seek medical advice.
<b>Eye contact:</b>	Immediately flush eyes with soft jet of water or eye rinse solution for at least 5 minutes. If pains remains (intensive smarting, sensivity to light, visual disturbance) continue flushing and contact/seek doctor or hospital.
<b>Inhalation:</b>	Move to fresh air. If symptoms persist, seek medical advice.
<b>Ingestion:</b>	Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

### 5. Fire fighting measures

<b>Hazardous combustion products:</b>	Oxides of carbon. Irritating organic vapours.
<b>Extinguishing media:</b>	Water spray (fog), foam, dry chemical or carbon dioxide.
<b>Notice and measures for firing fighting:</b>	If mixed with air in sufficient amounts and proportions, organic dusts can form flammable or explosive dust/air mixtures. Do not breathe combustion gases. Wear self-contained breathing apparatus.

### 6. Accidental release measures

- Emergency measures:** Keep away from sources of ignition and naked flames.  
Ensure adequate ventilation.  
Do not let product enter drains.  
Depending on workplace dust concentration, wear dust filter mask with particle filter P1, P2 or P3.  
Avoid dust formation.
- Clean-up methods:** Remove all sources of ignition.  
Ensure adequate ventilation.  
Remove mechanically.  
Sweep up spilled material. Avoid creating dust.

### 7. Handling and storage

- Notice for handling:** Avoid naked flames, sparking and sources of ignition.  
Avoid dust development and deposition - dust explosion risk. Take precautionary measures against static discharges.  
Use only with adequate ventilation.  
Avoid contact with eyes, skin and clothing.  
Wash thoroughly after handling.
- Notice for storage:** Store in a cool, dry place.  
Keep away from heat and direct sunlight.

### 8. Exposure controls / personal protection

Hazardous components	GBZ 2.1-2007	ACGIH	NIOSH	OSHA
Benzophenone-3,3':4,4'-tetracarboxylic dianhydride	none	none		none

- Engineering controls:** Ensure adequate ventilation, especially in confined areas.  
Extraction is necessary to remove fumes evolved during reflow.  
Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
- Respiratory protection:** Do not inhale dust.  
In case of insufficient ventilation, wear suitable respiratory equipment.
- Eye protection:** Protective goggles  
Avoid eye contact.
- Body protection:** Wear suitable protective clothing.  
Protective clothing that covers arms and legs.
- Hand protection:** Avoid skin-contact.  
Wear refractive gloves while working with the hot melt.
- Other protection:** The selection of PPE shall at least compliant with "Law of the People's Republic of China on Prevention and Control of Occupational Diseases" and "Code of practice for selection of personal protective equipments" (GB/T 11651-2008).
- Pictograms for recommended PPE:**



### 9. Physical and chemical properties

Physical state: powder                      Appearance: black solid

Flash point:	Not applicable	Ignition temperature:	Not available.
Solubility:	Insoluble (Solvent: Water) Soluble (Solvent: Acetone)	Viscosity:	Not available.

## 10. Stability and reactivity

<b>Stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	Danger of dust explosions. Take measures to prevent the build-up of electrostatic charges. Danger of decomposition if exposed to heat.
<b>Incompatible products:</b>	Reacts with strong oxidants. Polymerization may occur at elevated temperature or in the presence of incompatible materials.
<b>Decomposition products:</b>	Hydrocarbons Oxides of carbon. Irritating organic fragments.

## 11. Toxicological information

### General toxicological information:

No experimental toxicological data on the preparation as such is available.

### Oral toxicity:

Harmful if swallowed.  
May cause irritation to the digestive tract.

### Other remarks:

Not available.

## 12. Ecological information

### General ecological information:

Do not empty into drains / surface water / ground water.

### Ecotoxicity:

May cause long-term adverse effects in the aquatic environment.

### Persistence and degradability:

#### Ultimate biodegradation:

Not available.

#### Bioaccumulative potential:

No data available.

### Other adverse effects:

Not available.

## 13. Disposal considerations

### Product disposal:

If the waste is classified as hazardous waste according to GB 5085.7-2007 (Identification standards for hazardous wastes, General Specifications). Dispose of as hazardous waste in compliance with "Regulation on the Safety Management of Hazardous Chemicals", "Law of the People's Republic of China on the prevention and control of Environmental Pollution by Solid Waste", "National Catalogue of Hazardous Waste".  
Waste incineration with the approval of the responsible local authority.

### Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

## 14. Transport information

**General information:**

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

**Notice For Transportation:**

Transport according to local and national regulations. Ensure containers will not leak, collapse, or being damaged when transported. DO NOT transport with incompatible materials. Transportation vehicle should be equipped with right fire-fighting equipment in case of emergency. Avoid solarization, drenched and high temperature when transported.

## 15. Regulations - classification and identification

The following laws and regulations lay down provisions in terms of chemicals safety use, storage, transportation, loading/unloading, classification as well as symbol.

"Law of the People's Republic of China on Work Safety" (Adopted by the 28th meeting of 9th NPC standing committee on 29th June 2002).

"Law of the People's Republic of China on the Prevention and Treatment of Occupational Diseases" (Adopted by the 24th meeting of 11th NPC standing committee on 31st December 2011)

"Law of the People's Republic of China on environmental protection" (Adopted by 11st meeting of 7th NPC standing committee on 26th December 1989).

"Regulation on the Safety Management of Hazardous Chemicals" (Adopted by 144th State Council executive meeting on 16th February 2011).

"Regulations on License to Work Safety" (Adopted by 34th State Council executive meeting on 7th January 2004).

**China Inventory of Existing Chemicals:**

All components are listed or are exempt from Inventory of Existing Chemical Substances in China.

## 16. Other information

**Issue department:**

SHE Department

**Disclaimer:**

The data contained herein are furnished for information only and are believed to be reliable. However, Hysol Huawei Electronics Co.,Ltd does not assume responsibility for any results obtained by persons over whose methods Hysol Huawei Electronics Co.,Ltd. has no control. It is the user's responsibility to determine the suitability of Hysol Huawei Electronics Co.,Ltd.'s products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Hysol Huawei Electronics Co.,Ltd.'s products. In light of the foregoing, Hysol Huawei Electronics Co.,Ltd. specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Hysol Huawei Electronics Co.,Ltd's products. Hysol Huawei Electronics Co.,Ltd. further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**Others:**

The full text of all abbreviations indicated by codes in this safety data sheet section 3 are as follows:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.