

# MATERIAL SAFETY DATA SHEET

Version 1.0

Revision Date 2017/12



## 75 D@BE Wax Compound

\*\*\*\*\*7 <9 A @BE A7 B'H&\$

This MSDS adheres to the standards and regulatory requirements of China.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name** : Wax Compound, 75 D@BE A7 B'H&\$  
**Product Use** : Wax compound, for lubricate molding dies via transfer molding.  
**Manufacturer** : 上海德盛塑料有限公司, Ó.XÈ  
Qá~•dã, ^\* ÁÍ Ó,  
Fí Î R Æ • ^ } á ^ | - Æ V @ Á ^ @ | | Æ á •  
Telephone +H F G E Æ J H G G G  
Fax +H F G I D Í Í H J Í

### 2. HAZARDS IDENTIFICATION

#### Classification of GHS

**Physical Hazards** : No Classification

#### Health Hazards

Skin Sensitization : 1B; H317

Eye Irritation : 2B; H320

Respiratory Sensitization : 4; H332

**Environmental Hazards** : No Classification

#### GHS Label Elements

**Pictograms or Hazard Symbols**



**Signal Word** : Danger

**Hazard Statement** : May cause allergy or asthma symptoms or breathing difficulties if inhaled  
May cause an allergic skin reaction  
Causes eye irritation

#### Precautionary Statement

**Prevention** : P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P264 Wash hands thoroughly after handling

**Response** : P302 + P352  
IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313  
If skin irritation or rash occurs: Get medical advice/attention.  
P305 + P351 + P338  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# MATERIAL SAFETY DATA SHEET

Version 1.0

Revision Date 2017/12



P337 + P313

If eye irritation persists: Get medical advice/attention.

P370+P378

In case of fire, use water spray, dry chemical, carbon dioxide, or alcohol form for extinction.

Storage : P403 + P235 Store in a well-ventilated place, and keep cool.  
P410 Protect from sunlight.

Disposal : P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

No	Components	CAS Number	Concentration	GHS Classification
1	Epoxy Resin	29690-82-2	2-30%	No classification
2	Phenolic Resin	85-44-9	2-30%	No classification
3	Silica Powder	10279-57-9	60-95%	Harmful if inhaled 4; H332 Flammable solid, 1; H2228 Causes eye irritation, 2B; H320
4	Carbon Black	1333-86-4	0.2~5%	Harmful if inhaled, 4; H332 May cause allergy or asthma symptoms or breathing difficulties if inhaled, 1B; H334

## 4. FIRST AID MEASURES

- Inhalation : If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention
- Skin Contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water
- Eye Contact : If symptoms develop, flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention
- Ingestion : Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

## 5. FIRE FIGHTING MEASURES

- Nature of Hazard : Flammable
- Flash Point : No data available
- Hazardous combustion products : By thermal decomposition or combustion, water, carbon monoxide and carbon dioxide may be generated.
- Suitable extinguishing media : Water spray, dry chemical, carbon dioxide, sand or alcohol form.
- Protection of Fire-Fighters : Do not inhale combustion to produce gas  
Wear individual breathing apparatus.
- Others : The organic dust may form a combustible or explosive dust/gas mixture in proportion to air mixing to a sufficient amount.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Wear suitable protective equipment to avoid contact with skin and eye, and inhale gas.

# MATERIAL SAFETY DATA SHEET

Version 1.0

Revision Date 2017/12



- Environmental precautions : Prevent spills from entering sewers, watercourses or low area.
- Methods for Cleaning up : Waste materials using a broom or cleaning machine not to raise dust.
- Disposal : Consult a waste disposal company for optimum treatment, or abandon by fire according to the local regulation.

## 7. HANDLING AND STORAGE

### Safe handling advice

- Advice on safe handling : Keep away from open fire, sparks and ignition sources  
Prevention of dust development and deposition. Risk of dust explosion. Take measures to prevent electrostatic discharge  
To prevent the occurrence of dust  
Provide local ventilations and a full ventilation system.  
Avoid contact with eyes, skin and clothing

### Storage

- Requirements for storage areas and containers : Keep away from sunlight, and heat.  
Keep the products in a cool, well ventilated place.
- Storage limits : No information available
- Further information on storage conditions : No information available
- Materials to avoid : Strong acids, alkali
- Advice on protection against fire and explosion : No information available
- Mixed storage advice : No information available

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

- Engineering Controls** : The use of local exhaust ventilation is recommended to control emissions of dust.  
Keep away from open fire, sparks and ignition sources
- Respiratory protection** : Avoid inhalation of dust  
In case of inadequate local exhaust ventilation, wear P1, P2 or P3 type particle filter mask
- Eye protection** : Safety goggles  
Avoid to contact with eyes.
- Skin and body protection** : Wear suitable protective gloves and clothing.  
Protective clothing must cover arms and legs
- Hand protection** : Avoid skin contact and wear scalding gloves

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state form : Solid tablet
- Color : Gray or dark gray
- Odor : Slight odor of epoxy or slight sour
- pH : 3~6

**Specific temperature /temperature ranges at which changes in physical state occur**

# MATERIAL SAFETY DATA SHEET

Version 1.0

Revision Date 2017/12



Boiling point	:	No data available
Boiling range	:	No data available
Fusing point	:	70~110°C
Decomposition temperature	:	No data available
Flash point	:	>200°C
Autoignition temperature	:	>200°C
Explosion properties	:	No data available
Vapour pressure	:	No data available
Vapour density	:	No data available
Density	:	1.7~2.1 g/cm <sup>3</sup>
Solubility in Water	:	No data available
Solubility in toluene	:	Solvable

## 10. STABILITY AND REACTIVITY

Stability	:	Decomposition at high temperature Risk of dust explosion Take measures to prevent electrostatic discharge
Condition to avoid	:	Heat, flame, fire and any igniting source.
Materials to avoid	:	Strong acids, alkali, strong oxidizer
Hazardous decomposition products	:	Carbon monoxide, carbon dioxide Irritating organic vapor
Hazardous Polymerization	:	No data available

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity	:	No data available
Subacute toxicity	:	No data available
Irritant effects	:	No data available
Sensitisation	:	No data available
Mutagenicity	:	No data available
Teratogenicity	:	No data available
Carcinogenicity	:	No data available
Other	:	No data available

## 12. ECOLOGICAL INFORMATION

Ecotoxicity	:	No data available
Persistence and degradability	:	No data available
Bioaccumulative potential	:	No data available
Mobile in Soil	:	No data available
Other adverse effects	:	No data available

## 13. DISPOSAL CONSIDERATIONS

Product	:	Any disposal must be in compliance with country, local, state and federal laws and regulations (contact country, local or state environmental agency specific rules.
---------	---	--

# MATERIAL SAFETY DATA SHEET

Version 1.0

Revision Date 2017/12



Waste Disposal method : Consult waste disposal company for the optimum treatment.  
Destroying Procedure of Contaminated Packing : Cleaned packaging may be recycled.

## 14. TRANSPORT INFORMATION

UN Classification : Not regulated as a hazardous material  
UN Number : Not Applicable  
Environmental Hazards : ADR: No  
: IMDG/ADN: No  
: IATA: No  
UN Proper Shipping Name : Not Applicable  
Packing Group Rate : Not Applicable  
Special precautions for disposal : EmS FIRE SCHEDULE: F-A  
EmS SPILLAGE SCHEDULE: S-I

## 15. REGULATORY INFORMATION

The regulatory information listed below is not completed, and some other regulations may be applicable for the specified product(s) also.

Chinese Classification : No classification according to GB13690  
EC Pictograms/ Hazard Codes : Not Applicable  
EC Risk Phrases : No Classification  
EC Safety Phrases : No Classification  
EINECS : All components listed or polymer exempt.  
TSCA : All components are listed on the TSCA Inventory  
Other Regulatory Information : GB 6944-2005: Classification and Code of Dangerous Goods  
GB/T16483-2008: Safety Data Sheet for Chemical Products-Contents and Order of Sections.  
GB 13690-2009: General Rule for Classification and Hazard Communication of Chemicals  
GB 12268-2005: List of Dangerous Goods  
GBZ 2.1-2007: Occupational Exposure Limits for Hazardous Agents in The Workplace  
List of National Hazardous Wastes (CHINA)

## 16. OTHER INFORMATION

Revision Number : 1.0  
Effective Date : 2017-12-18  
MSDS Distribution : The information in this document should be made available to all who may handle the product.  
Disclaimer : The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.